ELSEVIER

Carbohydrate Research 292 (1996) C8–C9

CARBOHYDRATE RESEARCH

Contents

Regular Papers

The resolution of the neutral *N*-linked oligosaccharides of IgG by high pH anion-exchange chromatography
J.M. McGuire, M. Douglas and K.D. Smith (Glasgow, UK) 1

Simplified and improved methylation analysis of saccharides, using a modified procedure and thin-layer chromatography
R. Mukerjea, D. Kim and J.F. Robyt (Ames, IA, USA). 11

The hydration of sucrose
S.B. Engelsen (Frederiksberg, Denmark) and S. Pérez (Grenoble, France). 21

Synthesis of 6-deoxy-6-halolaminarans and conversion of 6-chloro-6-deoxylaminaran into the 6-amino-6-deoxy derivative
R. Khan, M. Bosco, P.A. Konowicz, L. Stucchi and R. Rizzo (Trieste, Italy) 39

Synthesis of glycolipids containing disaccharides and two longer alkyl chains and their applications as enzyme modifiers
Z. Zhang, K. Fukunaga, Y. Sugimura, K. Nakao (Tokiwadai, Japan) and T. Shimizu (Tsukuba, Japan). 47

Transglycosylation of intact sialo complex-type oligosaccharides to the *N*-acetylglucosamine moieties of glycopeptides by *Mucor hiemalis* endo-β-*N*-acetylglucosaminidase
K. Haneda, T. Inazu (Tokyo, Japan), K. Yamamoto, H. Kumagai (Kyoto, Japan), Y. Nakahara and A. Kobata (Tokyo, Japan) 61

Solid-phase synthesis of an *O*-linked glycopeptide based on a benzyl-protected glycan approach
Y. Nakahara, Y. Nakahara (Saitama, Japan) and T. Ogawa (Saitama, Tokyo, Japan) 71

Synthesis of inositol 2-phosphate–quercetin conjugates
P. Calias (Medford, MA, USA), T. Galanopoulos, M. Maxwell, A. Khayat, D. Graves, H. N. Antoniades (Boston, MA, USA) and M. d'Alarcao (Medford, MA, USA) 83

Synthesis, from nojirimycin, of N^1-alkyl-D-gluconamidines as potential glucosidase inhibitors
G. Legler, M.-T. Finken and S. Felsch (Cologne, Germany) 91

N^1-Alkyl D-gluconamidines: Are they 'perfect' mimics of the first transition state of glucosidase action?
G. Legler and M.-T. Finken (Köln, Germany) 103

Structural studies of the O-specific chain of *Hafnia alvei* strain 32 lipopolysaccharide
W. Jachymek (Wroclaw, Poland), C. Petersson (Uppsala, Sweden), A. Helander (Stockholm, Sweden), L. Kenne (Uppsala, Sweden), T. Niedziela and C. Lugowski (Wroclaw, Poland). 117

ELSEVIER

Carbohydrate Research 292 (1996) C8–C9

CARBOHYDRATE RESEARCH

Contents

Regular Papers

The resolution of the neutral *N*-linked oligosaccharides of IgG by high pH anion-exchange chromatography
J.M. McGuire, M. Douglas and K.D. Smith (Glasgow, UK) 1

Simplified and improved methylation analysis of saccharides, using a modified procedure and thin-layer chromatography
R. Mukerjea, D. Kim and J.F. Robyt (Ames, IA, USA). 11

The hydration of sucrose
S.B. Engelsen (Frederiksberg, Denmark) and S. Pérez (Grenoble, France). 21

Synthesis of 6-deoxy-6-halolaminarans and conversion of 6-chloro-6-deoxylaminaran into the 6-amino-6-deoxy derivative
R. Khan, M. Bosco, P.A. Konowicz, L. Stucchi and R. Rizzo (Trieste, Italy) 39

Synthesis of glycolipids containing disaccharides and two longer alkyl chains and their applications as enzyme modifiers
Z. Zhang, K. Fukunaga, Y. Sugimura, K. Nakao (Tokiwadai, Japan) and T. Shimizu (Tsukuba, Japan). 47

Transglycosylation of intact sialo complex-type oligosaccharides to the *N*-acetylglucosamine moieties of glycopeptides by *Mucor hiemalis* endo-β-*N*-acetylglucosaminidase
K. Haneda, T. Inazu (Tokyo, Japan), K. Yamamoto, H. Kumagai (Kyoto, Japan), Y. Nakahara and A. Kobata (Tokyo, Japan) 61

Solid-phase synthesis of an *O*-linked glycopeptide based on a benzyl-protected glycan approach
Y. Nakahara, Y. Nakahara (Saitama, Japan) and T. Ogawa (Saitama, Tokyo, Japan) 71

Synthesis of inositol 2-phosphate–quercetin conjugates
P. Calias (Medford, MA, USA), T. Galanopoulos, M. Maxwell, A. Khayat, D. Graves, H. N. Antoniades (Boston, MA, USA) and M. d'Alarcao (Medford, MA, USA) 83

Synthesis, from nojirimycin, of N^1-alkyl-D-gluconamidines as potential glucosidase inhibitors
G. Legler, M.-T. Finken and S. Felsch (Cologne, Germany) 91

N^1-Alkyl D-gluconamidines: Are they 'perfect' mimics of the first transition state of glucosidase action?
G. Legler and M.-T. Finken (Köln, Germany) 103

Structural studies of the O-specific chain of *Hafnia alvei* strain 32 lipopolysaccharide
W. Jachymek (Wroclaw, Poland), C. Petersson (Uppsala, Sweden), A. Helander (Stockholm, Sweden), L. Kenne (Uppsala, Sweden), T. Niedziela and C. Lugowski (Wroclaw, Poland). 117

The complex of amylose and iodine
X. Yu, C. Houtman and R.H. Atalla (Madison, WI, USA) 129

Evidence for sulfite induced oxidative reductive depolymerisation of starch polysaccharides
L. Paterson, J.R. Mitchell, S.E. Hill and J.M.V. Blanshard (Loughborough, UK) 143

The synthesis of galactopyranosyl derivatives with β-galactosidases of different origins
J.-H. Yoon and K. Ajisaka (Odawara, Japan) 153

Notes
Concentration dependence of hydrophobicity of monosaccharides estimated by fluorescence of pyrene
M. Shigematsu (Lund, Sweden) 165

NMR characterization of a 4-*O*-methyl-β-D-glucuronic acid-containing rhamnogalacturonan from yellow mustard (*Sinapis alba* L.) mucilage
W. Cui, M.N.A. Eskin (Winnipeg, Canada), C.G. Biliaderis (Thessaloniki, Greece) and K. Marat (Winnipeg, Canada) 173

Announcement C1

Author Index C3

Subject Index C5

Contents C8